



Product details

Detail	Description
Product name	FireWare Stratus
Product category	Smoke Generators
Manufacturer	FireWare bv
Article number	002-012-002

Product description

The FireWare Stratus (2600 W) is developed based on years of experience of FireWare. The machine can easily and quickly fill a room with smoke, but can also create a smouldering fire, since the output is adjustable from 1 to 99%. Up until 48% a continuous output is possible. You can make a vertical column of smoke by putting the machine on its backside. This generates a realistic build-up of smoke against the ceiling.

The enclosure is made out of robust stainless steel and has 6 vent holes for optimal heat discharge. The front side of the machine is equipped with a Storz connection. This way you can easily connect a smoke hose. Furthermore, the Stratus has a build-in timer and control via DMX is possible.

The Neutrik connector can easily transfer power to another device, for example a fire blaze spot. The smoke machines comes in a plastic box from 60 x 40 x 32,5 centimetres, including 5 L FireWare Medium smoke fluid and a remote control with 10 meters of cable. The FireWare Stratus has an output twice as large as the FireWare Cumulus. The optional wireless remote control is available separately.

Technical information

Technical detail	Description
Weight of set including box	22,8 kg
Weight	12,9 kg
Materials	Stainless steel, plastic
Dimensions transport box	60 x 40 x 32,5 cm
Dimensions product	50 x 25 x 30 cm
Voltage	230 V/50 Hz or 120 V/60 Hz
Power	2600 Watt
Fluid capacity	5 L
Adjusting output	Adjustable in steps of 1% (0-99%)



Smoke time	At 100%: approximately 40 seconds At 48% and less: continuously
Warm-up time	720 seconds

Parts set

Accessory	
1.	Culumus Smoke generator
2.	5L FireWare Medium Smoke Fluid
3.	Remote control with 10 metre cable
4.	Electric outlet for other devices
5.	Manual
6.	Plastic box for storage/ transport (60x40x32,5 cm)

Extra product accessories

SKU	Product	Description
008-002-002	Wireless Remote control Stratus	Wireless Remote
008-012-007	Aiming Piece Cumulus/stratus	To aim the smoke (for example vertically)
008-012-011	Smoke Hose Set	A smoke hose is used when the smoke machine needs to be positioned some way from the staging
008-012-016	Smoke Hose Set Perforated	The FireWare Perforated Smoke Hose will allow you to, for example, simulate SFTF signals by placing the perforated smoke hose along the eaves

Compatible smoke fluids

SKU	Product	Description
009-030-001	FireWare Light Smoke Fluid	Fills small room
009-030-002	FireWare Medium Smoke Fluid	Fills medium-sized room
009-030-003	FireWare Heavy Smoke Fluid	Fills very large room
009-030-005	FireWare Outdoor Smoke Fluid	For outdoor use

Compatible smell concentrate

SKU	Product	Description
009-030-026	FireWare Burning smell extract	Adds the scent of a fire to FireWare smoke fluid

Certifications

EU guidelines: 2004/30/EU, 2014/35/EU, 2011/65/EU and 2009/125/EG

Aftercare

To maintain the performance of the *FireWare Stratus*, it should be properly maintained.

- Make sure the fluid tank is clean at all times.
- Clean the machine twice a year by flushing it with demineralised water. Also flush prior to a long storage time. You can clean the outside with a moist cloth and mild detergent.



- Beware: it is not necessary to clean the nozzle. That could damage the heating element.

Make sure that the vent holes are not clogged or blocked and keep them free of dust. Check the air valve/filter regularly and clean or replace it when necessary. If the same fluid is used every time, the filter should be cleansed thoroughly when another fluid will be used. This to prevent clogging.

To clean the external surface, it is best to use a solvent-free cleaning agent. Use of an abrasive can damage the surface.

Waste disposal

Electric appliances, accessories, and packaging need to be collected and recycled separately or disposed off in an environmentally responsible manner.

Warranty

The *Stratus* has a two-year warranty against product and manufacturing faults. Damage as a result of careless acting is not refunded. Repairs require expertise. It is therefore highly recommended to return the appliance to us in the event of a defect. The warranty is cancelled if it becomes apparent that you or a third party opened the appliance or if you or a third party have applied modifications or adjustments of any kind without the explicit permission from the supplier.

